

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Test M – Methaqualone		DATE: 10/13/2008	
PRODUCT NUMBER(S): 6082			
TRADE NAME: Test M – Methaqualone GENERAL USE: Methaqualone Test CHEMICAL FAMILY: Cobalt(II)Salt, Acid Combination PRODUCT DESCRIPTION: 1st Ampoule – Pink liquid; 2nd Ampoule – Clear and colorless; 3rd Ampoule - Colorless liquid with a heavy Ethereal odor			
MANUFACTURED FOR: Safariland LLC		DATE PREPARED: October 13, 2008	
		SUPERSEDES: April 15, 2008	
ADDRESS (NUMBER, STREET, P.O. BOX) 13386 International Parkway		TELEPHONE NUMBER FOR INFORMATION / Customer Service 904-741-5400	
(CITY, STATE AND ZIP CODE) Jacksonville, FL 32218		COUNTRY USA	
		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER 1-800-255-3924 01-813-248-0585 North America Toll Free International	

SECTION 2 - HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Cobalt (II) Thiocyanate, 1st Ampoule	1-2	3017-60-5	221-156-8	(+Xn)	R20/21/22, R32
Glycerol, 1st Ampoule	40-50	56-81-5	200-289-5	None	None
Phosphoric Acid, 2nd Ampoule	>90	7664-38-2	231-633-2	(+C)	R34
Chloroform, 3rd Ampoule	>90	67-66-3	200-663-8	(+Xn)	R22,R38,R40, R48/20/22

Notes: **WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.**
 This product contains a material found to induce Hepatocellular carcinomas in National Cancer Institute tests on mice. Hazard symbols and risk phrases based on maximum listed concentration of each hazardous ingredient.

SECTION 3 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
 Irritation of eyes, nose, and throat. Splashes in the eyes or on the skin will cause skin burns. Inhalation of acid vapors may be injurious to the lungs. Repeated or prolonged exposure to dilute solutions of acid may cause irritation of the skin. Repeated or prolonged exposure to mists or vapors of Phosphoric Acid may cause erosion of teeth, chronic irritation of the eyes, or chronic inflammation of the nose, throat, and bronchial tubes. May cause CNS effects such as headache, drowsiness, dizziness, unconsciousness and may be fatal or narcotic in high concentrations.

POTENTIAL HEALTH EFFECTS

INHALATION:
 Irritation of throat. Inhalation of acid vapors may be injurious to the lungs and with repeated inhalation chronic irritation/inflammation of nose, throat, and bronchial tubes. Acts as an anesthetic. Irritates respiratory tract.

SKIN:
 Irritation and or burns by direct contact. Delayed onset contact dermatitis is also possible with chronic repeated exposure to both ampoule 1 and ampoule 2 chemicals. Drying of skin and defatting of skin can lead to dermatoses upon repeated exposure to Ampoule 3 contents - Irritates exposed skin.

EYES:
 Chronic irritation of eyes, corneal burns are possible with exposure to Phosphoric Acid (Ampoule 2).

INGESTION:
 Severe irritation and ulceration of the gastrointestinal tract. Vomiting and diarrhea are also symptoms.

CARCINOGENICITY:
 NTP? **Yes CAS#67-66-3** IARC MONOGRAPHS? **Yes CAS#67-66-3 (Chloroform)** OSHA REGULATED? **No**
 CALIFORNIA, Prop.65? **Yes CAS#67-66-3 (Chloroform =Carcinogen)** ESIS? **Yes #67-66-3 =Carcinogen**

SECTION 4 - FIRST AID MEASURES

INHALATION:
 Remove to fresh air, apply CPR if victim is unconscious, administer oxygen, seek immediate medical attention.

EYES:
 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention.

SKIN:
 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.

INGESTION:
 If swallowed, give plenty of water to dilute substances, do not induce vomiting; if conscious, give large quantities of water immediately to dilute the Phosphoric Acid. If vomiting occurs spontaneously, keep the head below the waist to avoid aspiration. Call a physician immediately.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Test M – Methaqualone
PRODUCT NUMBER(S): 6082 **DATE:** 10/13/2008

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:
 Phosphoric Acid, 2nd Ampoule is corrosive to many metals with evolution of flammable Hydrogen gas, and emits toxic and irritating gases when involved in a fire. Cobalt Thiocyanate may emit toxic cyanide and cobalt fumes in a fire. Heating of Chloroform may result in highly toxic phosgene gas, and well as organochlorine compounds.

EXTINGUISHING MEDIA:
 Use extinguishing media appropriate for surrounding fire.

FIRE FIGHTING PROCEDURES:
 None applicable, not flammable.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
 Under fire conditions wearing NIOSH/MSA or European EN-149 approved SCBA's or acid gas=organic vapor respirators is required. Fumes emitted from heated product are toxic and corrosive.

HAZARDOUS COMBUSTION PRODUCTS:
 Hydrogen Cyanide gas, phosphorous compounds, sulfur oxides, and organic vapors.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
 Wear protective equipment; ventilate area; cover a Phosphoric Acid spill with sodium carbonate. Add water if necessary to form a slurry. Scoop up slurry. Can use ODV part number 910 soda ash.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
 Store and handle according to packaged instructions. Store in cool, well ventilated area. Keep away from reactive materials. Avoid breathing vapor and prevent vapor accumulation in enclosed areas.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH			ACGIH		OSHA		
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TLV/TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Cobalt (II) Thiocyanate, 1st Ampoule	NE			NE		0.02		0.02
Glycerol, 1st Ampoule	NE			NE		10		15
Phosphoric Acid, 2nd Ampoule		1		3		1		1
Chloroform, 3rd Ampoule	10			500 IDLH	10		50	240

PERSONAL PROTECTION

RESPIRATORY PROTECTION:
 NIOSH/MSA or European EN-149 approved respirator for a minor Phosphoric Acid or Chloroform spill clean-up.

PROTECTIVE GLOVES:
 Impervious gloves (neoprene, nitrile) required when any contact potential with contents exists.

EYE PROTECTION:
 Do not get in eyes, wear safety glasses with side shield splash protection or chemical goggles.


OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
 An eye wash fountain and safety shower should be readily available where the potential for contact exists.

WORK / HYGIENIC PRACTICES:
 Wash thoroughly after handling. Be prepared to neutralize and absorb spilled acid.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR 1st Ampoule – Pink liquid; 2nd Ampoule – Clear and colorless; 3rd Ampoule - Colorless liquid with a heavy Ethereal odor	VAPOR PRESSURE NE
VOC NE Volatility NE	SPECIFIC GRAVITY (WATER = 1) 1.255 - 1st Ampoule. 1.69 - 2nd Ampoule. 1.49 - 3rd Ampoule.
BOILING POINT / BOILING RANGE NE	SOLUBILITY IN WATER Soluble - Ampoules 1&2, Slight - Ampoule 3.
FLASH POINT NE	VISCOSITY NA
FLAMMABLE LIMITS LEL: NE UEL: NR	VAPOR DENSITY (AIR = 1) NE
AUTO-IGNITION TEMPERATURE NR	EVAPORATION RATE BUTYL ACETATE = 1) NE

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Test M – Methaqualone		DATE: 10/13/2008	
PRODUCT NUMBER(S): 6082			
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY	STABLE	x	CONDITIONS TO AVOID: Excessive heat, light exposure, contact with incompatible materials.
INCOMPATIBILITY (MATERIALS TO AVOID): Acid contact with most metals corrodes them severely and forms flammable Hydrogen gas. Contact of acid gas or liquid with any alkali or active metal may develop enough heat to cause a fire in adjacent combustible material. Cobalt (II) Thiocyanate when strongly acidified by contact with Sulfuric Acid and when also heated can produce deadly Hydrogen Cyanide gas. Chloroform, when heated, may generate phosgene gas, as well as other organochlorine compounds.			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Hydrogen Chloride gas, Hydrogen Cyanide gas, phosgene, other organo-halogens, sulfur oxides, and organic vapors.			
HAZARDOUS POLYMERIZATION: Will not occur.		CONDITIONS TO AVOID: None related to polymerization.	
SECTION 11 - TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Cobalt (II) Thiocyanate, 1st Ampoule	3017-60-5	NE	NE
	221-156-8		
Glycerol, 1st Ampoule	56-81-5	Oral, rat: LD50 = 12600 mg/kg.	Inhalation, rat: LC50 = >570 mg/m ³ /1H.
	200-289-5		
Phosphoric Acid, 2nd Ampoule	7647-01-0	Oral, rat: LD50 = 1250 mg/kg.	Inhalation, rat: LC50 = 25.5 mg/m ³
	231-595-7		
Chloroform, 3rd Ampoule	67-66-3	Oral, rat: LD50 = 695 mg/kg; Oral, mouse: LD50 = 36 mg/kg.	Inhalation, rat: LC50 = 6000 mg/m ³ /6H.
	200-663-8		
SECTION 12 - ECOLOGICAL INFORMATION			
<p>For Cobalt (II) Thiocyanate: No specific information available, however it is known that Cobalt salts like most heavy metals present an environmental risk and are persistent water pollutants. Avoid discharge of the contents of Ampoule 1 into drains or other water courses, disposal should be as collected waste for disposal at a permitted hazardous waste facility in compliance with all Local, State and Federal regulations.</p> <p>For Phosphoric Acid: Ecotoxicity: Fish: Mosquito Fish: LC50 = 138 mg/L; 96 Hr; Unspecified No data available.</p> <p>For Chloroform: Ecotoxicity: Fish: Channel catfish: LC50 = 75 ppm; 96 Hr; Unspecified Fish: Rainbow trout: LC50 = 43.8 mg/L; 96 Hr; Static bioassay Fish: Fathead Minnow: LC50 = 129.0 mg/L; 96 Hr; Static bioassay (pH = 7.6-8.3) Fish: Bluegill/Sunfish: LC50 = 100.0 mg/L; 96 Hr; Static bioassay Water flea Daphnia: EC50 = 28.9 mg/L; 48 Hr; Static bioassay The majority of the environmental releases from industrial uses are to the atmosphere; releases to water and land will be primarily lost by evaporation and will end up in the atmosphere. Release to the atmosphere may be transported long distances and will photodegrade with a half-life of a few months. Spills and other releases on land will also leach into the groundwater where it will reside for long periods of time.</p> <p>Environmental: Chloroform will not be expected to bioconcentrate into the food chain but contamination of food is likely due to its use as an extractant and its presence in drinking water.</p> <p>Environmental: Upon transport through the soil, Phosphoric Acid will dissolve some of the soil materials (especially those with carbonate bases) and the acid will neutralize to some degree. Phosphate residues may be expected to remain.</p>			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.			
SECTION 14 - TRANSPORT INFORMATION			
PROPER SHIPPING NAME: Chemical Kit, (Contains Chloroform, Phosphoric Acid) UN 3316			
DOT HAZARD CLASS / Pack Group: 9, PGII		IATA HAZARD CLASS / Pack Group: 9, PGII	
REFERENCE: 49CFR		IMDG HAZARD CLASS: 9	
UN / NA IDENTIFICATION NUMBER: UN 3316		RID/ADR Dangerous Goods Code: UN 3316, 9	
LABEL: Miscellaneous dangerous goods.		UN TDG Class / Pack Group: UN 3316/ PGII	
HAZARD SYMBOLS:		Hazard Identification Number (HIN): 90	
			
<p>Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.</p>			

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Test M – Methaqualone
PRODUCT NUMBER(S): 6082 **DATE:** 10/13/2008



SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act): **Ingredients are listed.**
 SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):
 Acute Health: **Yes** Chronic Health: **Yes**
 Fire: **No** Sudden Release of Pressure: **No**
 Reactive: **No**

313 REPORTABLE INGREDIENTS: **This material contains Cobalt II Thiocyanate and Chloroform which are subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.**

CERCLA (USA - Comprehensive Response Compensation and Liability Act): **No**
 California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: **Yes - Chloroform.**
 CCPR (Canadian Controlled Products Regulations): **Not Listed.**
 CIDL (Canadian Ingredient Disclosure List): **Not listed.**
 CDSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): **Not Listed on CDSL.**
 EINECS (European Inventory of Existing Commercial Chemical Substances): **Referenced.**

WGK Water Quality Index: **2**


RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
<p>R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. R23: Toxic by inhalation. R32: Contact with acids liberates very toxic gas. R35: Causes severe burns. R37: Irritating to respiratory system. R38: Irritating to skin. R40: Limited evidence of carcinogenic effect. R48/20/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.</p>	 (+Xn): Harmful  (+C): Corrosive	<p>S1/2: Keep locked up and out of the reach of children. S9: Keep container in a well ventilated place. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).</p>

SECTION 16 - OTHER INFORMATION

Legend:

NA = Not Applicable	ND = Not Determined	NE = Not Established	NR = Not Reported
HMIS HAZARD RATINGS HEALTH: FLAMMABILITY: PHYSICAL HAZARD: PERSONAL PROTECTIVE EQUIPMENT:	3 0 2 B	0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME	

REVISION SUMMARY:
 Revised 04/15/2008 to GHS/EU protocols, supersedes 04/15/2008 issue. LB

<p>MSDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com</p>	
---	--

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.