Printing date: September 16, 2014

Revision: September 16, 2014


SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>NIK Test N</u>
 Article number: 800-6083 (1006161) 1.2 Relevant identified uses of the substance or mixture and uses advised against Talwin-Talacen / Pentazocine Test Kit
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency telephone number:
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412. health hazard
Carc. 1A H350 May cause cancer.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
 Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive
R35: Causes severe burns.
Xn; Harmful
R40: Limited evidence of a carcinogenic effect.
Xi; Sensitising (Contd. on page 2)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N



Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N (Contd. of page 2) · NFPA ratings (scale 0 - 4) Health = 4Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) *4 Health = *4 HEALTH FIRE • Fire = 0 REACTIVITY O Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. · HMIS Long Term Health Hazard Substances 50-00-0 formaldehyde 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 7664-93-9 sulphuric acid 50-100% EINECS: 231-639-5 C R35 Index number: 016-020-00-8 Skin Corr. 1A, H314 CAS: 50-00-0 formaldehyde ≤ 2,5% EINECS: 200-001-8 😡 T R23/24/25; 🗾 C R34; 🙀 Xn R40; 🙀 Xi R43 Index number: 605-001-00-5 Carc. Cat. 3 line with the second state the second state of 🚯 Carc. 2, H351 \lambda Skin Corr. 1B, H314 🔥 Skin Sens. 1, H317 CAS: 7783-00-8 selenious acid ≤ 2,5% EINECS: 231-974-7 😡 T R23/25; 🌄 N R50/53 Index number: 034-002-00-8 R33 🚸 Acute Tox. 3, H301; Acute Tox. 3, H331 \delta STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 · Additional information: For the wording of the listed risk phrases refer to section 16.

(Contd. on page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

(Contd. of page 3)

SECTION 4: First aid measures

 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately rinse with water. If skin irritation is experienced, consult a doctor. Seek immediate medical help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions Strong caustic effect on skin and mucous membranes. Dizziness Coughing Breathing difficulty Nausea Hazards Danger of gastric perforation. Danger of severe eye injury. Limited evidence of a carcinogenic effect. • 4.3 Indication of any immediate medical attention and special treatment needed Contains formaldehyde. May produce an allergic reaction. Medical supervision for at least 48 hours. **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 5)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation
 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use limestone to neutralize and absorb spill. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols. Use only in well ventilated areas.

When diluting always pour product into water and not vice versa.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.
- Information about storage in one common storage facility: Store away from foodstuffs.
 Store away from metals.
 Do not store together with alkalis (caustic solutions).
 Protect from humidity and water.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

(Contd. of page 4)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

		(Contd. of page 5)
· 8.1 Control p		
-	with limit values that require monitoring at the workplace:	
7664-93-9 su	•	
· · ·	Long-term value: 0,05 mg/m ³	
PEL (USA)	Long-term value: 1 mg/m ³	
REL (USA)	Long-term value: 1 mg/m ³	
TLV (USA)	Long-term value: 0,2* mg/m ³ *as thoracic fraction	
EL (Canada)	Long-term value: 0,2 mg/m ³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0,2 mg/m ³	
50-00-0 form	aldehyde	
PEL (USA)	Short-term value: 2 ppm Long-term value: 0,75 ppm see 29 CFR 1910,1048(c)	
REL (USA)	Long-term value: 0,016 ppm Ceiling limit: 0,1* ppm *15-min; See Pocket Guide App. A	
TLV (USA)	Ceiling limit: 0,37 mg/m³, 0,3 ppm (SEN) NIC-DSEN; RSEN	
EL (Canada)	Long-term value: 0,3 ppm Ceiling limit: 1 ppm ACGIH A2; IARC 1; S	
EV (Canada)	Short-term value: 1,0 ppm	
Ceiling limit	1,5 ppm	
PNECs No fu	rther relevant information available. Irther relevant information available. f ormation: The lists valid during the making were used as basis.	
General prot The usual prot Keep away fre Immediately r Wash hands Do not inhale Avoid contact Respiratory p Not required o For spills, res	ective equipment: ective and hygienic measures: ecautionary measures are to be adhered to when handling chemicals. om foodstuffs, beverages and feed. remove all soiled and contaminated clothing. before breaks and at the end of work. gases / fumes / aerosols. with the eyes and skin.	
		(Contd. on page

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

(Contd. of page 6)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment
- No further relevant information available.
- **Risk management measures** See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Liquid
Colourless
Acrid
Not determined.
< 1
Not Determined.
212 °F / 100 °C
Not applicable.
Not applicable.

(Contd. on page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

		(Contd. of page 7
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapour pressure:	Not determined.	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1,76 g/cm ³ Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with water: 	Soluble.	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
 10.3 Possibility of hazardous reactions
- Reacts with alkali (lyes).
- Corrosive action on metals.

Reacts with metals forming hydrogen.

Toxic fumes may be released if heated above the decomposition point.

Heating occurs when water is added.

- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Sulphur oxides (SOx)

(Contd. on page 9)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

(Contd. of page 8)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

· LD/LC50 values relevant for classification:

50-00-0 formaldehyde

Oral LD50 >200 mg/kg (rat)

Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

Irritant

Danger through skin adsorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

May cause cancer.

· Sensitisation: Sensitization possible by skin contact.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): Carc. 1A

Carc. TA

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** After neutralization a reduction of the harming action may be recognized
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even small quantities leak into the ground.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

(Contd. on page 10)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

(Contd. of page 9)

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Dilute concentrate with water and neutralize afterwards with suitable alkali material (sodium hydroxide solution, lime). The formed neutral salts are relatively environment-friendly.

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	١	
 · 14.1 UN-Number · DOT, ADR, IMDG, IATA · 14.2 UN proper shipping name · DOT · ADR · IMDG, IATA · 14.3 Transport hazard class(es) 	UN1830 Sulfuric acid 1830 SULPHURIC ACID SULPHURIC ACID	
- DOT		
Class Label	8 Corrosive substances. 8	(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N	
	(Contd. of page
· ADR	
A CONTRACTOR OF	
· Class	8 (C1) Corrosive substances.
· Label	8
· IMDG, IATA	
S S S S S S S S S S S S S S S S S S S	
· Class	8 Corrosive substances.
· Label	8
 14.4 Packing group 	
· DOT, ADR, IMDG, IATA	II
 14.5 Environmental hazards: 	
• Marine pollutant:	No
• 14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
• EMS Number:	F-A,S-B Acids
Segregation groups 14.7 Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
•	
 ADR Limited quantities (LQ) 	1L
· Excepted quantities (EQ)	Code: E2
Excepted quantities (Ew)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· UN "Model Regulation":	UN1830, SULPHURIC ACID, 8, II

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot United States (USA)

·SARA

Section 355 (extremely hazardous substances):		
7664-93-9	sulphuric acid	
50-00-0	formaldehyde	
7783-00-8	selenious acid	
	(Contd. on page 12)	

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
7664-93-9 sulphuric acid	
50-00-0 formaldehyde	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
50-00-0 formaldehyde	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
\cdot Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
\cdot Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
50-00-0 formaldehyde	E
7783-00-8 selenious acid	E
· IARC (International Agency for Research on Cancer)	
50-00-0 formaldehyde	
7783-00-8 selenious acid	
• TLV (Threshold Limit Value established by ACGIH)	
7664-93-9 sulphuric acid	A
50-00-0 formaldehyde	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
50-00-0 formaldehyde	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
50-00-0 formaldehyde	
· Canadian Ingredient Disclosure list (limit 1%)	
7664-93-9 sulphuric acid	
• Other regulations, limitations and prohibitive regulations	
This product has been classified in accordance with hazard criteria of	
and the SDS contains all the information required by the Controlled Pr	0
\cdot Substances of very high concern (SVHC) according to REACH, A	article 57
None of the ingredients is listed.	(Contd. on page

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N

(Contd. of page 12) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTIO	N 16: Other information
	mation is based on our present knowledge. However, this shall not constitute a guarantee for any roduct features and shall not establish a legally valid contractual relationship.
• Relevant H301 H311 H314 H317 H331 H351 H351 H373 H400 H410	phrases Toxic if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic if inhaled. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
R23/24/25 R23/25 R33 R34 R35 R40 R43 R50/53	5 Toxic by inhalation, in contact with skin and if swallowed. Toxic by inhalation and if swallowed. Danger of cumulative effects. Causes burns. Causes severe burns. Limited evidence of a carcinogenic effect. May cause sensitisation by skin contact. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
ADR: Accol International IMDG: Intern DOT: US De IATA: Intern GHS: Globa ACGIH: Ame EINECS: Eu CAS: Chemi NFPA: Natio HMIS: Haza WHMIS: Haza WHMIS: Wo DNEL: Deriv PNEC: Pred LC50: Letha Acute Tox. 3 Skin Corr. 1 Skin Corr. 1 Skin Sens. 1 Carc. 1A: Ca Carc. 2: Car STOT RE 2: Aquatic Acu	tions and acronyms: rd européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the l Carriage of Dangerous Goods by Road) national Maritime Code for Dangerous Goods apartment of Transport Association Illy Harmonized System of Classification and Labelling of Chemicals erican Conference of Governmental Industrial Hygienists uropean Inventory of Existing Commercial Chemical Substances iropean List of Notified Chemical Substances ical Abstracts Service (division of the American Chemical Society) onal Fire Protection Association (USA) ordous Materials Identification System (USA) orkplace Hazardous Materials Information System (Canada) red No-Effect Level (REACH) licted No-Effect Concentration (REACH) a concentration, 50 percent a dose, 50 percent 3: Acute toxicity, Hazard Category 3 A: Skin corrosion/irritation, Hazard Category 18 1: Sensitisation - Skin, Hazard Category 1 arcinogenicity, Hazard Category 1 A: Skin corrosion/irritation, Hazard Category 1 arcinogenicity, Hazard Category 2 : Specific target organ toxicity - Repeated exposure, Hazard Category 1 cinogenicity, Hazard Category 2 : Specific target organ toxicity - Repeated exposure, Hazard Category 1 onic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 onic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 (Contd. on page 14

(Contd. of page 13)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014


Revision: September 16, 2014

Trade name: NIK Test N

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 • Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com

Printing date: September 16, 2014

Revision: September 16, 2014



Printing date: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

Revision: September 16, 2014

(Contd. of page 1) · Signal word Danger · Hazard-determining components of labelling: nitric acid · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements P280 Wear protective gloves / eye protection. P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. · Hazard description: · WHMIS-symbols: D2B - Toxic material causing other toxic effects E - Corrosive material · NFPA ratings (scale 0 - 4) Health = 4Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 4 Health = 4 FIRE • Fire = 0 Reactivity = 0 HMIS Long Term Health Hazard Substances None of the ingredients is listed. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

· Dangerous components:			(Contd. of page 2
CAS: 7697-37-2 EINECS: 231-714-2 Index number: 007-004-00-1	nitric acid	C R35; A O R8 Ox. Liq. 3, H272 Skin Corr. 1A, H314	50-100%
· Additional information: For	the wording of the liste	ed risk phrases refer to section 16.	

SECTION 4: First aid measures

 4.1 Description of first aid measures General information: Immediately remove any clothing soiled by the product. After inhalation: Supply fresh air; consult doctor in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
· After eye contact:
Protect unharmed eye.
Remove contact lenses if worn, if possible.
Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
Drink plenty of water and provide fresh air. Call for a doctor immediately.
 4.2 Most important symptoms and effects, both acute and delayed
Gastric or intestinal disorders.
Strong caustic effect on skin and mucous membranes.
·Hazards
Danger of circulatory collapse.
Danger of disturbed cardiac rhythm.
Danger of gastric perforation.
Danger of severe eye injury.
4.3 Indication of any immediate medical attention and special treatment needed
Monitor circulation, possible shock treatment.
Medical supervision for at least 48 hours.
Later observation for pneumonia and pulmonary oedema.
If necessary oxygen respiration treatment.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water · 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Prevent formation of aerosols. Avoid splashes or sprav in enclosed areas. Use only in well ventilated areas.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.

Unsuitable material for receptacle: aluminium.

- Unsuitable material for receptacle: steel.
- · Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Store away from metals.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

(Contd. on page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

		(Contd. of page 4
· 8.1 Control p		
	with limit values that require monitoring at the workplace:	
7697-37-2 nit		
IOELV (EU)	Short-term value: 2,6 mg/m ³ , 1 ppm	
PEL (USA)	Long-term value: 5 mg/m ³ , 2 ppm	
REL (USA)	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm	
TLV (USA)	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5,2 mg/m ³ , 2 ppm	
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm	
EV (Canada)) Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
• PNECs No fu	urther relevant information available. urther relevant information available. nformation: The lists valid during the making were used as basis.	
Immediately r Wash hands Do not inhale Avoid contact Respiratory Not necessar Use suitable	ry if room is well-ventilated. respiratory protective device when aerosol or mist is formed. spiratory protection may be advisable.	
Prote	ective gloves	
preparation/ t The glove ma		ance/ the preparation.
The selection quality and	n of the suitable gloves does not only depend on the material, bu varies from manufacturer to manufacturer. As the product is the resistance of the glove material can not be calculated in advance of the glove material can not be ca	a preparation of sever

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

(Contd. of page 5)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- Neoprene gloves
- Not suitable are gloves made of the following materials: PVA gloves

Only glove materials listed above should be used.

· Eye protection:

Contact lenses should not be worn.



Safety glasses

- · Body protection: Acid resistant protective clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- Risk management measures
 See Section 7 for additional information.
 No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and General Information Appearance: 	nd chemical properties	
Form:	Liquid	
Colour:	Colourless	
 Odour: Odour threshold: 	Acrid Not determined.	
· pH-value at 20 °C:	< 1	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. 122 °C (176-185 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto/Self-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not self-igniting.	
 Danger of explosion: 	Product does not present an explosion hazard.	
 Explosion limits: Lower: 	Not determined.	(Contd. on page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

		(Contd. of page 6)
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1,41 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0,0 %	
Water:	40,0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Reacts with alkali and metals. Corrosive action on metals.
- Reacts with peroxides.
- Develops toxic gases/fumes.
- Develops corrosive gases/fumes.
- Reacts with peroxides and other radical forming substances.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Nitrogen oxides

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 8)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Large quantities will cause harm to aquatic life
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- **Remark:** After neutralization a reduction of the harming action may be recognized
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be disposed of with household garbage with prior chemical-physical or biological treatment following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)


(Contd. of page 7)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

· Recommended cleansing agents: Water only.



(Contd. of page 8)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

	(Contd. of page 9)
 Transport/Additional information: 	
· ADR	
 Limited quantities (LQ) 	1L
 Excepted quantities (EQ) 	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
 Transport category 	2
 Tunnel restriction code 	E
·IMDG	
 Limited quantities (LQ) 	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
 UN "Model Regulation": 	UN2031, NITRIC ACID, solution, 8, II
-	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 United States (USA)
 SARA
 Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

• Proposition 65 (California):

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic Categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 11)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

(Contd. of page 10)

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7697-37-2 nitric acid

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

- H314 Causes severe skin burns and eye damage.
- R35 Causes severe burns.
- R8 Contact with combustible material may cause fire.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- WHMIS: Workplace Hazardous Materials Information System (Canada)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- Ox. Liq. 3: Oxidising Liquids, Hazard Category 3
- Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

(Contd. on page 12)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test N 2nd Ampoule

(Contd. of page 11)

 Sources
 SDS Prepared by: ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com