Printing date: September 16, 2014

Revision: September 16, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: <u>NIK Test O</u>
 Article number: 800-6090 (1006168) 1.2 Relevant identified uses of the substance or mixture and uses advised against Schweppes Reagent - Dye / GHB (Gamma-Hydroxybutyrate) Test Kit
 1.3 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200 1.4 Emergency talephone number.
• 1.4 Emergency telephone number: ChemTel Inc. (800)255-3924, +1 (813)248-0585
SECTION 2: Hazards identification
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008
Flam. Liq. 3 H226 Flammable liquid and vapour.
health hazard
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.
Eye Irrit. 2 H319 Causes serious eye irritation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful
R22-48/20/21/22: Harmful if swallowed. Harmful: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.
🗙 Xi; Irritant
R36: Irritating to eyes.
R10: Flammable.
 Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
(Contd. on page 2)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

(Contd. of page 1)

 Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

 Hazard-determining components of labelling: anilinium chloride

Hazard statements

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P280 Wear protective gloves / eye protection.
- P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P314 Get medical advice/attention if you feel unwell.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Contains anilinium chloride. May produce an allergic reaction.

Hazard description:

· WHMIS-symbols:

B2 - Flammable liquid

D2A - Very toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)

Health = 2 Fire = 3 Reactivity = 0

(Contd. on page 3)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

(Contd. of page 2) · HMIS-ratings (scale 0 - 4) 2 Health = 2 HEALTH ³ Fire = 3 FIRE **REACTIVITY** Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. HMIS Long Term Health Hazard Substances 64-17-5 ethanol · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **SECTION 3: Composition/information on ingredients** 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 64-17-5 25-50% ethanol EINECS: 200-578-6 🗙 Xi R36; 🙀 F R11 Index number: 603-002-00-5 🚸 Flam. Liq. 2, H225 Eye Irrit. 2, H319 CAS: 142-04-1 anilinium chloride < 1.0% EINECS: 205-519-8 礘 T R23/24/25-48/23/24/25; 🗙 Xn R40-68; 🗙 Xi R41; 🔀 Index number: 612-009-00-2 Xi R43; 🌄 N R50 Carc. Cat. 3, Muta. Cat. 3 🚸 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 🚯 Muta. 2, H341; Carc. 2, H351; STOT RE 1, H372 \land Eye Dam. 1, H318 Aquatic Acute 1, H400 🔥 Skin Sens. 1, H317 CAS: 547-58-0 sodium 4-(4-dimethylaminophenylazo)benzenesulphonate < 1,0% 😡 T R25 EINECS: 208-925-3 📀 Acute Tox. 3, H301 Dangerous Components (Alternative Classifications): ethanol (USA Classification) CAS: 64-17-5 25-50% EINECS: 200-578-6 😡 T Carc. Cat. 1, Repr. Cat. 1 R45-60-61; 🔀 Xn R48/20/21/22; Index number: 603-002-00-5 🗙 Xi R36 R67 🚸 Flam. Liq. 2, H225 🗴 Carc. 1A, H350; Repr. 1A, H360; STOT RE 2, H373 🔥 Eye Irrit. 2, H319; STOT SE 3, H336 (Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately rinse with water. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed Couahina Irritant to eyes. Dizziness · Hazards May be harmful if inhaled. Causes damage to organs through prolonged or repeated exposure. 4.3 Indication of any immediate medical attention and special treatment needed Treat skin and mucous membrane with antihistamine and corticoid preparations. Contains anilinium chloride. May produce an allergic reaction. **SECTION 5: Firefighting measures** · 5.1 Extinguishing media · Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. · For safety reasons unsuitable extinguishing agents: None. • 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. Additional information Eliminate all ignition sources if safe to do so. (Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures For large spills, wear protective clothing. For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation Keep away from ignition sources. Protect from heat. · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 • 7.1 Precautions for safe handling Prevent formation of aerosols. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.
 • Information about fire - and explosion protection: Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame.
- · Information about storage in one common storage facility:
- Store away from foodstuffs. Store away from oxidizing agents.

• Further information about storage conditions: Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

	(Contd. of page 5)
· 8.1 Control parameters	
Ingredients with limit values that require monitoring at the workplace:	
64-17-5 ethanol	
PEL (USA) Long-term value: 1900 mg/m ³ , 1000 ppm	
REL (USA) Long-term value: 1900 mg/m ³ , 1000 ppm	
TLV (USA) Short-term value: 1880 mg/m ³ , 1000 ppm	
EL (Canada) Short-term value: 1000 ppm	
EV (Canada) Long-term value: 1,900 mg/m ³ , 1,000 ppm	
 DNELs No further relevant information available. PNECs No further relevant information available. Additional information: The lists valid during the making were used as basis. 	
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Respiratory protection: Not required under normal conditions of use. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Protection of hands: 	
Protective gloves	
 The glove material has to be impermeable and resistant to the product/ the substance/ the Selection of the glove material on consideration of the penetration times, rates of ordegradation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also or quality and varies from manufacturer to manufacturer. As the product is a preparaubstances, the resistance of the glove material can not be calculated in advance and h checked prior to the application. 	diffusion and the n further marks of ration of several
 Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective of be observed. Eye protection: 	gloves and has to
Safety glasses	
Body protection: Protective work clothing	(Contd. on page 7)

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

Limitation and supervision of exposure into the environment No further relevant information available.
Risk management measures See Section 7 for additional information.

No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: 	d chemical properties Liquid Red Alcohol-like Not determined.
· pH-value:	Not determined.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not Determined. Undetermined.
· Flash point:	75 °F / 24 °C (Estimated)
· Flammability (solid, gaseous):	Not applicable.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
 Explosion limits: Lower: Upper: 	3,5 Vol % 15,0 Vol %
 Vapour pressure at 20 °C: 	59 hPa
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined. (Contd. on page 8)

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

• 9.2 Other information

No further relevant information available.

(Contd. of page 7)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions
- Flammable.

Used empty containers may contain product gases which form explosive mixtures with air. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised. Toxic fumes may be released if heated above the decomposition point.

- **10.4 Conditions to avoid** Keep ignition sources away - Do not smoke. Store away from oxidizing agents.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Nitrogen oxides

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

142-04-1 anilinium chloride

Oral LD50 840 mg/kg (rat)

· Primary irritant effect:

- on the skin: Slight irritant effect on skin and mucous membranes.
- · on the eye: Irritating effect.
- Sensitization: Sensitizing effect by skin contact is possible by prolonged exposure.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

Toxic and/or corrosive effects may be delayed up to 48 hours.

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

- Acute effects (acute toxicity, irritation and corrosivity):
- Vapours have narcotic effect.
- May be harmful if inhaled.

· Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

Repeated exposures may result in skin and/or respiratory sensitivity.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	tion	
· 14.1 UN-Number		
· DOT, ADR, IMDG, IATA	UN1170	
 14.2 UN proper shipping name 		
·DOT	Ethanol	
· ADR	1170 ETHANOL (ETHYL ALCOHOL)	
·IMDG	ETHANOL (ETHYL ALCOHOL)	
·IATA	ETHANOL	
		(Contd. on page 10

Printing date: September 16, 2014

Revision: September 16, 2014

	(Contd. of pag
 14.3 Transport hazard class(es) 	
· DOT	
· Class	3 Flammable liquids.
· Label	3
· ADR	
*	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	U
· DOT, ADR, IMDG, IATA	III
 14.5 Environmental hazards: 	
· Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
· Danger code (Kemler):	30 5 5 5 5
 EMS Number: 14.7 Transport in bulk according to Annex 	F-E,S-D
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
T	Maximum net quantity per outer packaging: 1000 ml
 Transport category Tunnel restriction code 	3 D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml (Contd. on page

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

· UN "Model Regulation":

(Contd. of page 10) UN1170, ETHANOL (ETHYL ALCOHOL), 3, III

· 15.1 Safety, health and environmental regulations/legislation specific	; for the substance or mixture
· United States (USA) · SARA	
 Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65 (California):	
· Chemicals known to cause cancer:	
142-04-1 anilinium chloride	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
64-17-5 ethanol	
• TLV (Threshold Limit Value established by ACGIH)	I.
64-17-5 ethanol	A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
64-17-5 ethanol	
· Canadian Ingredient Disclosure list (limit 1%)	
None of the ingredients is listed.	

GHS

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

(Contd. of page 11)

Other regulations, limitations and prohibitive regulations This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225	Highly flammable liquid and vapour.
	inging nannnabio ngala ana vapour.

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- R11 Highly flammable.
- R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- R25 Toxic if swallowed.
- R36 Irritating to eyes.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.

R48/23/24/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation, in contact with skin and if swallowed.

- R50 Very toxic to aquatic organisms.
- R68 Possible risk of irreversible effects.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada)

(Contd. on page 13)

Printing date: September 16, 2014

Revision: September 16, 2014

Trade name: NIK Test O

(Contd. of page 12) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3 Acute Tox. 3: Acute toxicity, Hazard Category 3 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 · Sources SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com